


NaturaStone is a 6mm thick Australian Made Quartz Surfacing material combining beauty with ease of handling and exceptional durability.



**NaturaStone**<sup>TM</sup>  
QUARTZ SURFACES



NaturaStone can be readily applied to a infinite variety of residential and commercial projects.



KITCHEN COUNTER TOPS  
SPLASHBACKS  
BAR TOPS  
FASCIA PANELS  
BATHROOM VANITY TOPS  
COMMERCIAL COUNTERS  
COLUMN CLADDING

SHOWER PANELS  
SHOWER BASES  
WALL CLADDING  
DINING FURNITURE  
COFFEE TABLE TOPS  
LIFT CAR CLADDING  
RETAIL COUNTERS

NaturaStone can be installed as a complete new benchtop or easily applied on site, resurfacing existing benchtops and substrates.





# THE MOST ADVANCED QUARTZ SURFACE

NaturaStone is an Australian made quartz surfacing material.

NaturaStone is manufactured from a unique formulation combining over 90% natural quartz and the resilience of a high performance acrylic polymer.

This propriety formulation and processing technique produces extruded stone slabs of premium quality.

The slabs contain a multi filament reinforcement mesh encapsulated within the slab, further enhancing the already tough NaturaStone.

NaturaStone slabs are diamond polished to a lustrous gloss finish.

NaturaStone slabs are supplied in a nominal size of 3050 x 1300 x 6mm. This convenient size provides ease of handling during fabrication and installation.

NaturaStone is a solid non-porous one piece material providing exceptional scratch, stain, heat and impact resistance.

Although NaturaStone having a high hardness level of over 7.5 MOHS with Diamond being 10 MOHS, NaturaStone is a flexible product resisting chipping and cracking. In fact NaturaStone 6mm slabs are more resilient than 20 mm thick slabs.

The NaturaStone manufacturing process and ingredients are designed to be far more environmentally friendly than other engineered stone materials. In addition NaturaStone slabs utilize less material whilst achieving a superior result.



NaturaStone is available through a network of accredited installers and is backed by a 12 year warranty, where NaturaStone Pty Ltd warrants the NaturaStone material is free from defects for a period of 12 years from the date of purchase.

Please refer to the NaturaStone web site for a copy of the warranty.


NaturaStone is manufactured in a range of 24 colours which enhance any decor in any style.



NaturaStone quartz surfaces are easily maintained. To retain the factory diamond polish finish, wipe the surface with a cloth or sponge using warm water and a mild household detergent.





	General Specification		Typical
	Slab size nominal	3100 x 1310 x 6.5 mm	
	Usable size	3050 x 1300 mm	
	Thickness tolerance	+/- 0.50 mm	
	Slab flatness	+/- 1 mm width/ +/- 2 mm length	
	Gloss	56	
	Slab weight	58 kg	
Properties	Test Method	Typical Value	
Specific Gravity	ASTM D792	2.40	
Hardness	MOHS	7.6	
Water Absorption	AS 1756-1989 (AS-3558.1)	0.03%	
Colour Fastness	AS 1756-1989 (AS-3558.3)	No change	
Impact Resistance	AS 1756-1989 (AS-3558.15)	No cracks or crazing	
Flexural Strength	ASTM D790	47Mpa	
Resistance to surface scratching	AS 1756-1989 (AS-3558.4)	Unaffected	
Heat Resistance	NEMA D2863	No Change	
Boiling Water Surface	NEMA LD-3	No Change	
Stain Resistance	AS 1756-1989 (AS-3558.2)	Pass. Any superficial stains were removed by undiluted bleach or NaturaClean	
Abrasion Resistance	D4060-07	0.62	
Izod Impact Resistance	ASTM D256	2.23ft.lbf	
Thermal Shock	ASTM C484	No cracks or crazing	
Fire Indices	Test Method & Range		Typical Value
Ignitability Index	AS1530.3	0-20	4
Spread of Flame Index	AS1530.3	0-10	0
Heat Evolved Index	AS1530.3	0-10	2
Smoke Developed Index	AS1530.3	0-10	2



**NaturaStone**<sup>TM</sup>  
QUARTZ SURFACES

NaturaStone Pty Ltd  
14 Lanyon Street, Dandenong South,  
Melbourne, Victoria 3175, Australia  
A.C.N: 128 064 040  
phone: +61 3 9794 0515  
fax: +61 3 9794 8620  
email: info@naturastone.com.au  
web: www.naturastone.com.au

For further information please refer to the NaturaStone web site, or contact NaturaStone Pty Ltd to obtain samples and details of your nearest installer.

Available from:

